



Adding a Lanyard to Your Umps Watch: A Step-by-Step Guide

You can convert your Umps Watch to a Pendant by adding a lanyard.

What You'll Need

- An Umps Watch
- A 22mm springbar
- A D-ring
- A Lanyard



Step-by-Step Instructions

1. **Insert the springbar inside the D-ring**

The springbar should fit comfortably inside the D-Ring. Centralise the D-ring on the bar, lining up the springbar switch with the hollow opening on the D-ring.



2. **Identify the Attachment Point**

The springbar fits between the lugs on the back of the Umps Watch. Ensure that springbar is attached to the lugs on the top of the Watch, so that it is upright once worn.


3. **Attach the Springbar**

Slide back the switch on the springbar to attach it to the lugs. Ensure the pins fit inside the holes.



4. **Attach the lanyard**

Thread the lanyard through the D-ring, and loop over itself to secure in place.
See picture for reference.



5. **Adjust and Test**

Adjust the lanyard's length to your preference. Test the security of the attachment by gently pulling on the lanyard.



Safety Precautions

- Ensure the lanyard is securely attached to prevent the watch from falling and getting damaged.
- All lanyards provided by Umps are designed to break when pulled to reduce the risk of strangulation. Always select a lanyard with a safety breakaway clasp.